Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	quer$3 with (false adj clause$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/03 06:31
S2	645	quer$3 with clause$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/30 09:52
S3	24	quer$3 with clause$1 with replac$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/02 13:39
S4	13	false adj clause$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/30 10:00
S8	8	(quer$3 with clause$1 with replac$3) and false	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/30 13:36
S9	32	quer$3 with clause$1 with (modify$3 or modifi$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/30 11:09
S10	12	(quer$3 with clause$1 with (modify$3 or modifi$2)) and false	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/30 10:46
S11	521	(optimiz$5 and quer$3).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/30 10:51
S12	92	((optimiz$5 and quer$3).ab.) and false	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/30 10:51
S13	2	quer$3 with clause$1 with refin$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/30 11:10

S14	12	quer$3 with predicate$1 with replac$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/30 11:13
S15	5	quer$3 with false with replac$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/02 13:02
S16	360	quer$3 with false	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/02 13:04
S17	253	(quer$3 with false) and database$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/02 13:04
S18	1064	quer$3 with (replac$3 or rewrit$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/02 13:40
S19	436	(quer$3 with (replac$3 or rewrit$3)) and SQL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/02 13:42
S20	352	((quer$3 with (replac$3 or rewrit$3)) and SQL) and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/02 14:08
S21	92	((quer$3 with (replac$3 or rewrit$3)) and SQL) and metadata	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/02 13:48
S22	299	((quer$3 with (replac$3 or rewrit$3)) and SQL) and (false or "0" or "-1")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/02 14:08
S23	235	(((quer$3 with (replac$3 or rewrit$3)) and SQL) and (false or "0" or "-1")) and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/03 06:24

S24	602	(retriev$3 or obtain$3) near3 metadata	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/03 06:26
S25	1	((retriev$3 or obtain$3) near3 metadata) and (describe adj ·command)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/03 06:27
S26	91	describe adj command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/03 06:27
S27	13	false adj clause$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/11 11:22
S28	171	((retriev$3 or obtain$3) near3 metadata) and SQL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/03 07:21
S29	209	(execut$3 and quer$3).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/03 07:25
S30	62	((execut$3 and quer$3).ti.) and SQL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/03 07:22
S31	2	(((execut$3 and quer$3).ti.) and SQL) and metadata	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/03 07:22
S32	1452	(execut$3 and quer$3).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/03 07:25
S33	36	(execut$3 and quer$3).ab. and SQL and metadata	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/03 07:26

S34	4	(execut$3 and quer$3).ab. and SQL and metadata and false	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/03 08:03
S35	0	SQLj and metadata	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/03 08:03
S36	11	SQLJ	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/03 08:05
S37	48	metadata adj extraction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/03 08:05
S38	8	(metadata adj extraction) and SQL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/03 08:08
S39	1867	SQL and false	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/11 11:23
S40	744	(SQL and false) and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/11 11:23
S41	1546	(SQL and false) and select	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/11 11:39
S42	0	((SQL and false) and select) and from	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/11 11:23
S43	0	((SQL and false) and select) and "from"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/11 11:23

S44	618	((SQL and false) and select) and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/11 11:36
S45	124	((SQL and false) and select) and "707"/$.ccls. and metadata	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/11 11:37
S46	0	(SQL and false) and select and where	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/11 11:39
S47	0	(SQL and false) and select and WHERE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/11 11:39
S48	0	(SQL and false) and select and "WHERE"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/11 11:40
S49	299	(SQL and false) and select and "-1"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 11:00
S50	2069	(SQL and false) and select$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 11:01
S51	348	(SQL and false) and select$3 and metadata	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 11:01
S52	1	"4947322".pn.	USPAT	OR	OFF	2004/09/27 16:55
S53	3939	false near2 condition$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 06:45
S54	18	(false near2 condition$1) near3 (search$3 or quer$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 06:31

S55	165	(false near2 condition$1) and "707"/$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 06:44
S56	68	(false near2 condition$1) and metadata	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 06:45
S57	101	(modif$7 or transform$5 or replac$3 or rewrit$3) with (false near2 condition$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 06:47
S58	1	(modif$7 or transform$5 or replac$3 or rewrit$3) with (false near2 condition$1) and SQL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 06:48
S59	4	((modif$7 or transform$5 or replac$3 or rewrit$3) with (false near2 condition$1)) and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 06:58
S60	1128	metadata near2 (extract$3 or retriev$3 or obtain$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 06:58
S61	0	(metadata near2 (extract$3 or retriev$3 or obtain$3)) with false	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 06:59
S62	41	(metadata near2 (extract$3 or retriev$3 or obtain$3)) and (select near2 statement$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 07:00
S63	56	(metadata near2 (extract$3 or retriev$3 or obtain$3)) and (select$3 near2 statement$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 07:00
S64	0	(metadata near2 (extract$3 or retriev$3 or obtain$3)) and select and where	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 07:00

S65	0	(metadata near2 (extract$3 or retriev$3 or obtain$3)) and "select" and "where"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 07:01
S66	313	(metadata near2 (extract$3 or retriev$3 or obtain$3)) and SQL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 08:14
S67	4	(metadata near2 (extract$3 or retriev$3 or obtain$3)) and SQL and sun.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 10:06
S68	194	describe near (statement or command)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 10:07
S69	6	(describe near (statement or command)) and db2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 10:14
S70	215	query with description with table$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 10:41
S71	8932189	"1=0"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 10:44
S72	1444	"1=0" and metadata and SQL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 10:42
S73	1098	"1=0" and metadata and SQL and select	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 10:43
S74	1022	"1=0" and (metadata near2 (extract$3 or retriev$3 or obtain$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 10:43

S75	430	"1=0" and (metadata near2 (extract$3 or retriev$3 or obtain$3)) and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 10:43